

STUDENT TRAINING GUIDE

ACE 2019

INNOVATE
TRANSCEND
REALIZE

Manufacturing Process Planning



Copyright © 2019 by Aras Corporation. This material may be distributed only subject to the terms and conditions set forth in the Open Publication License, V1.0 or later (the latest version is presently available at <http://www.opencontent.org/openpub/>).

Distribution of substantively modified versions of this document is prohibited without the explicit permission of the copyright holder.

Distribution of the work or derivative of the work in any standard (paper) book form for a commercial purpose is prohibited unless prior permission is obtained from the copyright holder.

Aras Innovator, Aras, and the Aras Corp "A" logo are registered trademarks of Aras Corporation in the United States and other countries.

All other trademarks referenced herein are the property of their respective owners.

Microsoft, Office, SQL Server, IIS and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Notice of Liability

The information contained in this document is distributed on an "As Is" basis, without warranty of any kind, express or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose or a warranty of non-infringement. Aras shall have no liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this document or by the software or hardware products described herein.



Manufacturing Process Planning


Overview: You learn about Aras Manufacturing Process Planning (MPP).

Objectives:

- ✓ Understand Process Planning
- ✓ Understand the MBOM
- ✓ Understand Work Instructions
- ✓ Describe the Process Plan
- ✓ Describe the Process Plan View
- ✓ Describe the EBOM View
- ✓ Describe the MBOM View
- ✓ Describe the Workbench
- ✓ Add items to a process plan
- ✓ Create a phantom assembly
- ✓ Create a sub-process plan
- ✓ Create a location specific sub-process plan
- ✓ Modify an MBOM
- ✓ Add items to the Workbench
- ✓ Use items from the Workbench
- ✓ Add items to the Work Instruction

The Challenge

- Disconnected Engineering / Manufacturing data and processes
 - Manual MBOM authoring
 - No EBOM / MBOM reconciliation
 - No MBOM / Process Plan synchronization
 - No Process Plan / Work Instruction integration
 - Digital thread with As-Designed to As-Planned traceability is not maintained
- Unmanaged manufacturing data everywhere



(EBOM = Engineering BOM, MBOM = Manufacturing BOM)

(Process Plan = sequence of operations including steps)



4 | © 2018 Aras

The Challenge


Traditionally in an organization, engineering and manufacturing tend to be disconnected as well as their relevant processes. On the manufacturing side, the Manufacturing Bill of Materials (MBOM) process is a tedious process with no relationship to the Engineering Bill of Material (EBOM). In addition, the disconnection leads to huge reconciliation issues between the Engineering Bill of Materials and the Manufacturing Bill of Materials. There is no synchronization between the MBOM and the Process Plan because they are often authored separately. Moreover, although the Process Plan provides input for Work Instructions, the two often have no real integration. Instead, it tends to be a serial process.

All of these challenges lead to huge traceability gaps between the As Designed and the As-Planned Bill of Materials. If there is a change on the engineering side, there is no real process for manufacturing to get informed of the change until much later; so, the MBOM, Process Plan, and Work Instruction are often out-of-date.

Finally, the data itself tends to be all over the place, in different systems, unmanaged, and in different formats.

Aras Manufacturing Process Planning

- Manufacturing Process Planning [MPP] is built on the Aras PLM Platform and integrates Product Development and Manufacturing Engineering activities
- Concurrent authoring of Process Plan, Work Instruction, & MBOM
- Automatic EBOM/MBOM Reconciliation
- Resolve Location Specific Process Plan and MBOM structures
- Conflict Resolution for Data Save




Manufacturing Process Planning (MPP)

Aras Manufacturing Process Planning integrates manufacturing data and processes in PLM. It also enables users to derive an MBOM from the EBOM and automatically displays part consumption indicators for easy reconciliation.

MPP includes a graphical interface to concurrently author Process Plans, MBOMs, and Work Instructions. Concurrent authoring means that users can start anywhere and changes are reflected across all the views. Additionally, MPP has conflict resolution for data saves allowing multiple users to edit different levels of the multi-level MBOM at the same time.

Manufacturing BOMs

- Version controlled MBOM derived from the EBOM
 - Drag and drop restructuring
 - Concurrent Process Plan and MBOM creation
- EBOM/MBOM reconciliation
 - Real-time, automatic reconciliation indicators
 - Account for Quantity Split, Increase etc.
 - Account for Phantoms, Consumables etc.
 - Report EBOM parts not consumed in MBOM
 - View make/buy, consumed part rev and version change status
- Plant-specific MBOMs (and Process Plans)



Part Number	Name	Type	Qty	Op	Planned	Part Status	Reconcil
993584672	Liftgate Power Door Lock Actuator Assy	Assembly	1				
9674586assv	Latch to Latch Actuator	Phantom	1	5			
T306KQ3	T30 Screw	Component	2	19			Lt
64EDx12R00	Flat Washer	Component	5	19			U
9674586	Door Latch Actuator, Liftgate	Component	1	19			
9674556	Latch Assy Wiring Harness	Component	1	20			
9674746	Latch cover panel	Component	1	40			
00469901	Screws Philips Head #4	Component	2	40			
32818618	Washer - Flat	Component	1	169			Lt

6 | © 2018 Aras

MBOMs


As you create the the Process Plan, the MBOM is concurrently created. The MBOM and the Process Plan should be created at the same time because you should define the end item as you author the Process Plan including the required parts. The tying together of the MBOM with the Process Plan helps improve efficiencies and maintain accuracy of manufacturing data.

The ability to reconcile parts between the MBOM and the EBOM helps the manufacturing engineer understand if the parts are consumed correctly and if the quantities assigned are correct or are under-consumed or over-consumed. Reconciliation provides real time indicators in the form of icons and font colors so you can see the reconciliation between the MBOM and the EBOM.

Finally, because your Process Plans can be different, you can create plant specific MBOMs as well as plant specific Process Plans.

Process Plans

- Version controlled Process Plans
 - With Operations, Steps
 - Consume Parts, Utilize Resources
 - Reference Documents, Skills, etc.



- Workbench
 - Drag and drop items to detail out the Process Plan
 - Add additional information

Workbench					
Part Number	Parts	Re	Mak...	Type	Quantit
004699	004699	...	A	Buy	Compo...
528186	528186	...	A	Make	Compo...
6MIDx1	6MIDx1	...	A	Buy	Compo...
987455	987455	...	A	Buy	Compo...
987458	987458	...	A	Buy	Compo...
9874664	Latch cover	...	A	Buy	Compo...
9874746	Latch cover	A	Buy	Compo...
T306M20	T30 Screw	...	A	Buy	Compo...

Location: C:\Users\Aras\Documents\Part 1.pptx	
30	Uptake Power Door Lock Actuator Assembly installed ->
5	Latch to Latch Actuator
1	Pick up Latch and latch actuator assembly part
1	Install Latch
30	Connect the lock actuator using frame
1	Align and event 3 on connector
2	Secure full connection
2	Check hatch door opens and closes smoothly
987455	
30	If necessary, adjust latch position
1	Loosen three T30 screws
2	Adjust alignment of latch assembly
3	Tighten three T30 screws
4	Recheck hatch door opens and closes smooth...
T30	
40	Install Latch cover and trim panel



7 | © 2018 Aras

Process Plans



MPP allows for version controlled Process Plans. Each Process Plan can be very detailed, including:

- Sequence of operations with detailed steps,
- Parts consumed by the operation,
- Resources required for the operations,
- Required reference documents,
- Skills required for the operations.

All of this detailed information can be added to a Process Plan. In addition, you can have parent Process Plans with each assembly in a separate Sub-Process Plan. Finally, MPP includes a Workbench so you can easily drag and drop elements into the Process Plan.

Work Instructions (WI)


- Process Plan and Work Instruction authoring
 - Synchronizes Process Plan items with work instructions
 - You can author from the WI view
 - You can include text, media and tabular content
- You can publish the visually rich WI to the web or as a PDF
- Displays Alternates and Substitutes of consumed parts, where appropriate



Work Instructions

As mentioned earlier, Aras MPP includes concurrent authoring of a Process Plan and its corresponding Work Instruction. When you add information to the Process Plan, it is also added to the Work Instruction at the same time. Furthermore, apart from what is automatically generated by concurrent authoring, you can add other elements such as additional text, media, and tabular content that provides for richer content. Finally, you can electronically distribute the Work Instruction by publishing it as a PDF or HTML file.

Opening a Process Plan



Opening a Process Plan

①	Table of Contents
②	Use to Access Process Plans
③	Select a specific Process Plan
④	Right click mouse click a Process Plan to access the Context menu

A Process Plan is defined against a specific part assembly. Parts can be assigned directly to the Process Plan as the Produced Part or they are added to the assembly through individual steps. The EBOM and MBOM views display the parts related to the Process Plan as well as their consumption by the Process Plan. Opening a process plan for editing allows you to make changes and prevents changes by anyone else in the system by "locking" it until you are done.



Try it ... Open a Process Plan for Editing

For the examples in this session, we work with the Process Plan P23124, Mount Assembly.

1. Login to Aras Innovator as Mike Miller with Username "mmiller" and Password "innovator".
2. In the TOC, navigate to and select Process Plans.
3. Right click the process plan P23124 and click Edit from the context menu.

Process Plan (Form view)


The screenshot shows the 'Process Plan' form in the Aras PLM system. The form is titled 'Process Plan' and contains several fields and sections. A sidebar on the left (labeled 6) shows a tree view. The main form area has a header with 'Process Plan Number' (P23124), 'Revision' (A), and 'State' (Preliminary). Below this are fields for 'Name' (Mount Assembly) and 'Description'. A section labeled 'Produced Part' (labeled 4) shows a table with 'Location ID' and 'Name' columns, containing rows for 'Detroit' and 'Toulouse'. A 'Locations' section (labeled 5) is also visible. The bottom of the form has a 'Pick Related' button and a 'Hide Search Criteria' button. The Aras logo is in the bottom left corner.

Process Plan (Form view)

The Form View of the document displays when the document is opened. The Form View contains the following fields:

- ① **Process Plan Number**
Required. Enter a number for the Process Plan.
- ② **Revision**
The major revision of this document. MPP documents are versioned and can be included in the Aras PLM change management process. An Aras Administrator defines the major revisions of a document.
- ③ **State**
Each MPP document is assigned a life cycle which can then be used as part of the Aras PLM change and release process. The current state of the document is shown in this field.
- ④ **Produced Part**
You must select an assembly, the produced part for each process Plan. When you add the produced part, the system adds the EBOM for the part and copies it into the MBOM.
- ⑤ **Locations**
Use the Locations field to add plant locations. A process plan and a work instruction can be specific to one or more locations.
- ⑥ **Sidebar**
The Process Plan view, the MBOM, and the EBOM are accessible from the sidebar.

Adding Items



Adding Items

You can add elements to both the Process Plan and the Work Instruction by right clicking in the Process Plan's Hierarchical Tree (left pane) or by right clicking in the Work Instruction (right pane).

Note:

These are general steps for adding new elements.

①	Access the Process Plan Hierarchical Tree view and the Work Instruction panes from the Innovator sidebar.
②	The process plan (displayed as a Hierarchical Tree in the left pane) is a sequence of operations, steps, consumed parts, tools and machines, documents, and skills. You can also create an assembly, which has its own sub-process plan.
③	Right clicking an element in the Hierarchical Tree, displays a context menu for adding additional elements.
④	You can also add additional elements to the Work Instruction to enhance the steps to aid the technicians on the shop floor. (Set Up and Cycle times are in minutes.)
⑤	The Work Instruction, right pane, is concurrently created and elements are concurrently added to the work instruction as you create the process plan.
⑥	The Workbench, discussed later, is below the process plan.



Try it ... Add Items to a Process Plan

In this exercise, you add an operation and two steps to an existing process plan.

1. With Process Plan P23124 open for editing, add items to the process plan by first opening the Process Plan View from the sidebar.
2. Right click on Operation 20 in the Process Plan view's Hierarchical Tree.
3. From the context menu, select Add Operation.

Notice the new operation number is determined by the system administrator. You can leave it as the number 30.

4. In the fly out window, enter the information as follows:

Operation Number	30
Name	Test Thermal Core
Description	Run standard Thermal Core test
Setup Time (in minutes)	.5
Cycle Time (in minutes)	2.5

5. Press the Enter key or click elsewhere, outside of the fly out window to accept the values. Notice that items added to the process plan are concurrently added to the work instruction ⑤.

Add two steps for the new Operation 30, as follows:

6. Right click on the new operation 30 and click to select Insert Step:

Name (Step 1)	Turn on and set the multi-meter
Cycle Time (Step 1)	.5

Remember to press the Enter key or click elsewhere, outside of the fly out window to accept the values.

7. Right click on Step 1 and click to select Add Step for Step 2, as follows:

Name (Step 2)	Use multi-meter to test the Thermal Core
Cycle Time (Step 2)	2.5


Remember to press the Enter key or click elsewhere, outside of the fly out window to accept the values.

8. Save the process plan by clicking the Save button. Notice that the work instruction is also updated with the new operation and steps.

Note:

You can also right click a process plan item in the Work Instruction pane and use the context menu to add items to the Process Plan hierarchical tree pane.

Adding a Phantom Assembly



Adding a Phantom Assembly

A phantom assembly is a non-stocked assembly that lets you group together material needed to produce a subassembly. Phantom Assemblies are added as new Part Numbers to the process plan and the work instruction. The (assembly) part is also added to the MBOM. Remember, the added phantom assembly displays in the MBOM because all of your data is synchronized as you work.



Try it ... Add a Phantom Assembly

In this exercise, you add a phantom assembly.

1. In Process Plan P23124, right click Operation 30 and select Insert Phantom from the context menu.
2. In the fly-out window, enter the following information:


Part Number	9474588FanAssy
Name	9474588 Fan Assembly

3. Press the Enter key to accept the values.
4. Click the Save button.

Note:

In addition to the process plan, the phantom assembly also concurrently displays in both the Work Instruction and the MBOM.

Create a Sub-Process Plan



13 | © 2018 Aras

Sub-Process Plans

Any part or assembly, including phantom assemblies can have its own process plan, referred to as a sub-process plan. There are no restrictions on the number or levels of sub-process plans. Also, more than one person can concurrently edit different parts of a process plan.

The Sub-Process plan is, initially, specific to the location of the (Parent) Process Plan. Once created, you can access the Sub-Process plan either from the (Parent) Process plan or from the TOC.



Try it ... Create a Sub-Process Plan

In this exercise, you create a Sub-Process Plan for the Detroit location for the phantom assembly.

1. In the Process Plan's Location drop down list, ensure that you are on the Detroit Location.
2. From the Process Plan's Hierarchical tree, right click phantom assembly 9474588FanAssy and select Create Process Plan from the context menu.


Notice that a new process Plan opens for editing in its own tab in Aras Innovator. This Sub-Process plan is created for the Phantom Assembly you selected for the current location (Detroit).

3. In the Process Plan Number field, change the default value to: PP-9474588.
4. For the new process plan, in the Name field, enter: 9474588 Fan Assembly.
5. For the Description, enter: 9474588 Fan Assembly Fan Assembly.
6. Click the Save button.
7. Click to open the Locations tab of the Relationship grid.

Notice this Sub-Process Plan is only used at the Detroit location.

8. Save, Unlock, and Close this Sub-Process Plan.
9. Save, but do not close, the (Parent) Process Plan.
10. In the Hierarchy Tree, click to expand the Phantom Assembly to see the new Sub-Process Plan.
11. Now switch locations to the Toulouse location and notice the Phantom Assembly does not have the new Sub-Process Plan.
12. Switch back to the Detroit Location.

Location Specific Process Plans



Location Specific Sub-Process Plans

Location specific sub-process plans are useful when different locations might have slightly different processes for a specific part or phantom assembly. In this example, Process Plan 9474588FanAssembly is specific to the Detroit location.

You can also add any Sub-Process plan to any additional locations.



Try it ... Add a Sub-Process Plan to an additional location

In this exercise, you add the Sub-Process Plan you created earlier, to the Toulouse location.

1. Ensure you are on the (Parent) Process Plan (P23124) and verify the location is Detroit.
2. Click to expand the Phantom Assembly: 9474588 Fan Assembly.
3. Right mouse click on its Sub-Process Plan PP-9474588 and click to select View Item from the context menu.
4. Lock the Sub-Process plan for editing.
5. Open the Locations tab of the Relationship grid.

Please note that you might have to first move the Relationship grid up to view it.

6. Click the New Relationship button and select Toulouse in the Search dialog window.
7. Save, Unlock, and Close the Sub-Process Plan.
8. Now, back in the (Parent) Process Plan, switch to the Toulouse location.
9. Save, Unlock, and Close the Sub-Process Plan.
10. You should now see the Sub-Process plan at both the Detroit and the Toulouse locations. Save, Unlock, and Close the (Parent) Process Plan.

NOTE:

You can also view any Sub-Process Plan using the TOC.

The EBOM View

Part Number	Name	Type	Revision	Quantity	Part Status	Reconcili...
MP0103	MakerBot Replicator with Cover	Assembly	A			
MP2942	Body	Assembly	B	1		
MP2954	Extruder	Assembly	B	1		
MP1705	MK7 Thermal Core	Component	B	2		
MP2607	Cartridge Heater 40W 24V Right Angle Exit	Component	D	2		
MP2966	Wire-Filament Extruder Guide	Component	C	1		
MP2959	Nylon Spacer with Flange	Component	C	1		
MP2506	MK8 Nozzle 0.4mm	Component	B	2		
MP1708	MK7 Heatsink	Component	B	2		
MP2685	Spacer Black 16.5mm length 3.2mm ID 7mm ...	Component	C	4		
MP2675	Tube Fitting .45in Tube	Component	A	2		
MP2350	Fan 24V 40x40x10 Hi Performance	Component	C	2		
MP2953	Extruder Hardware	Assembly	D	1		
Additional Parts						
MP2938	Flament Spool Holder	Assembly	A	1		
MP2935	Flament Spool Holder	Component	A	2		
MP2962	Side Clip Short	Component	B	8		
MP2937	Acrylic Side Cover	Component	A	2		
MP2936	Acrylic Cover	Assembly	A	1		

The EBOM View

Click the **Show EBOM** button from the sidebar ① to view the EBOM. The EBOM view has two additional columns that differ from the usual Innovator EBOM: Part Status and Reconciliation Status ②. MPP uses these two columns to show the real time reconciliation between the EBOM and the MBOM. While the EBOM View for the process plan is not editable, it is dynamic. As you add, remove or edit parts in the MBOM, the Part Status and the Reconciliation Status columns the system dynamically updates the EBOM.

The following table depicts the icons used to show reconciliation status between the EBOM and the MBOM.

Overconsumed Quantity

The MBOM contains more than the EBOM.



Partially Consumed Quantity

The MBOM has only consumed some of the EBOM quantity.



Split Quantity

The quantities are split in the MBOM, used in several different places.



Not Accounted in MBOM

An EBOM part is not used in the MBOM. This is the starting state for all parts when the process Plan is first created.



New Revision

The EBOM requires a newer version than what is in the MBOM.



In the picture, above, notice the **red line** ③ in the EBOM view, through MP2938, an assembly. A **red line** means that all of the children of the assembly from the EBOM were consumed in the MBOM, but not the assembly itself. The EBOM View depicts the assembly's parts by showing the consumed children of the assembly and how they are consumed in the MBOM.



Try it ... Open the EBOM view

In this exercise, you look at the EBOM view for the produced part of the process plan.

1. Open the PP010 MakerBot Replicator with Cover Process Plan.
2. Using the sidebar, click the Show EBOM button.
3. Click to expand the MP2954 Extruder (Assembly) part.
4. Move the mouse cursor over the icons in the Reconciliation Status column.
5. When you finish viewing the EBOM, return to the Process Plan view by clicking the Show Process Plan button in the sidebar.

The MBOM view

Location: Detroit

Find on page

	Part Number	Name	Type	Qua...	Ope...	Planned	Part Status	Reconcili...
1	MP0103	MakerBot Replicator with Cover	Assembly	1				
	P5423	Printer Assembly	Phantom	1	10	<input checked="" type="checkbox"/>		
	MP2962	Side Clip Short	Component	10	20	<input type="checkbox"/>		
	MP2937	Acrylic Side Cover	Component	2	20	<input type="checkbox"/>		
	MP2955	Front Window Panel	Component	1	30	<input type="checkbox"/>		
	MP0370-004	M3x16 Socket Cap Bolt	Component	6	30	<input type="checkbox"/>		
	MP2295	M3 Square Nut	Component	6	30	<input type="checkbox"/>		
	MP2951	Cover	Assembly	1	40	<input type="checkbox"/>		
	MP0370-004	M3x16 Socket Cap Bolt	Component	12	40	<input type="checkbox"/>		
	MP2295	M3 Square Nut	Component	12	40	<input type="checkbox"/>		
	MP2935	Filament Spool Holder	Component	2	50	<input type="checkbox"/>		
	MP2938	Additional Parts	Assembly	1		<input type="checkbox"/>		
	MP2948	Cover Hardware	Assembly	1		<input type="checkbox"/>		



16 | © 2018 Aras

The MBOM view

You open the MBOM View for the process plan by clicking Show MBOM button from the sidebar. Like for the EBOM view, two columns have been added to the MBOM View to help with EBOM reconciliation: Part Status and Reconciliation Status. MPP uses these two columns to show the real time reconciliation between the EBOM and the MBOM.

The MBOM is editable. You can edit the Quantity or the Operation for each part. When you change the quantity of a part on the MBOM, the Reconciliation is automatically adjusted to reflect the edited quantity and the work instruction is also updated. And as you add parts to the process plan or to the work instruction, the MBOM also gets updated with the added part.

The following table (repeated from the previous slide) depicts the icons used to show reconciliation status between the EBOM and the MBOM.

Overconsumed Quantity

The MBOM contains more than the EBOM.



Partially Consumed Quantity

The MBOM has only consumed some of the EBOM quantity.



Split Quantity

The quantities are split in the MBOM, used in several different places.



Not Accounted in MBOM

An EBOM part is not used in the MBOM.



New Revision

The EBOM requires a newer version than what is in the MBOM.



Note:

The MBOM has an additional column: Planned. The systems checks this field when a Process plan is created for the Produced Part.



Try it ... Modify the MBOM

In this exercise, you change the quantity required for a part in the MBOM and then view the changed quantity on the Work Instruction.

1. Return to the Process Plan view by clicking the Show Process Plan button in the sidebar and lock it for editing.
2. Ensure the Location is set to Detroit.
3. Open the MBOM View for the process plan by clicking the Show MBOM button from the sidebar.
4. Click to expand the part: P5423, Printer Assembly.
5. Click to expand the part: MP2954, Extruder.
6. Click to expand the part: P8906 Filament Assembly.
7. Change the Quantity of part MP1914, (Washer .16in ID .25in OD .015in Thk) from 1 to 2, and then press the Enter key.
8. Click the Save button and return to the Process Plan view.



Try it ... View the Concurrent Change

Now we will view the concurrent change in the corresponding work instruction.

NOTE:


You will be opening three sub-process plans.

1. In the PP010 process plan's Hierarchical Tree (left pane), click to expand the MP0103 part.
2. Click to expand Operation 10, Assemble Printer.
3. Click to expand part P5423.
4. Right mouse click on the sub-process plan Printer Assembly -> P5423 and click View Item.
5. Click the Show process Plan button on the sidebar.
6. Click to expand the sub-process plan's Operation 10, Assemble Printer.
7. Click to expand part MP2954.
8. Right mouse click on the sub-process plan Extruder Assembly -> MP2954 and click View Item.
9. Click the Show process Plan button on the sidebar.
10. Click to expand the sub-process plan's Operation 40, Assemble Filament.
11. Click to expand part P8906.
12. Right mouse click on the sub-process plan P8906 Filament Assembly -> and click View Item.
13. Click the Show process Plan button on the sidebar.
14. Click to expand the sub-process plan's Operation 20, Assemble Hardware.
15. Click on Step 1: Assemble hardware on filament.
16. In the Work Instruction, look at the Parts list below the highlighted Step and in the parts table; notice that the work instruction is now also showing a quantity of 2 for the MP1914 part.

Notice the Process Plans' MBOMs, and Work Instructions are synchronized immediately.

17. Close the three open sub-process plans: P8906, PP001, and PP5423.
18. Save, Unlock, and Close the (Parent) process plan: PP010.
19. Alternatively, from the TOC, open the P8906 (Filament Assembly) process plan, directly.
20. Open the Process Plan view.
21. Open Operation 20 and view the part's quantity.
22. Close the process plan.

Editing the Work Instruction



Editing the Work Instruction

As you learned, items added to the process plan are concurrently added to the work instruction and vice versa: process plan items added to the work instruction are concurrently added to the process plan. Add process plan items to the work instruction ① by right clicking a process plan item preceding the location for the new item.

You can also add additional information to enhance the work instructions for the factory floor. As shown here, you can add additional graphics, lists, text, and titles. To add additional information to the Work Instruction, ② move the mouse over the item where you want to add it. When you do, an Edit button displays. Clicking the Edit button creates an empty (blue-gray) field. Right click the new field and click to choose an element from the context menu.



Try it ... Add additional items to the Work Instruction

In this exercise, you add additional items to the Work Instruction.

1. From the TOC, perform a simple search, and open Process Plan PP5423, Printer Assembly for editing.
2. From the sidebar, open the Process Plan view.
3. For operation 10: Assemble Printer, in the Work Instruction (the right pane), move the mouse cursor over Operation 10 until you see the Edit button, and click the Edit button.

Notice the Work Instruction adds a blue-gray field for adding additional information to the work instruction.

4. Right click in the blue-gray field and select Insert Graphic from the context menu.
5. In the Search dialog – Graphic window, search for and select BuildPlatform – Shaded, BuildPlatform - 301 by selecting it and then click the Return Selected button.

Notice the new graphic is added to the Work Instruction.

6. Click the Save button.

The Workbench

Part Number	Part Name	Type	Quantity	Alternates	Substitutes
MP2942	Body	Assembly	1		
MP2954	Extruder	Assembly	1		
MP2956	Gantry	Assembly	1		
MP2968	XY Stage	Assembly	1		
MP2943	Build Platform	Assembly	1		
MP2952	Electronics	Assembly	1		
MP2967	Wiring	Assembly	1		

Resource Number	Name	Type
1852	Screw Driver	Tool
1731	Wrench	Tool

The Workbench

The Workbench pane displays below the Process Plan View's Hierarchical Tree (In the left pane). The workbench can include Parts, Tools, Machines, Documents, or Skills. Use the Workbench to add parts, graphics, machines, skills, and tools to the process plan. Parts are automatically loaded into the workbench from the EBOM. Items can be dragged and dropped from the workbench into the Process Plan's Hierarchical Tree.

Note:

The Workbench is a non-persistent view.



Try It ... Add items to the Workbench

Because the Workbench is a non-persistent view, in this exercise, you add items to the workbench.

1. Ensure Process Plan PP5423 is locked for editing (from the previous exercise).
2. In the Workbench view, there is an empty drop down list field.
Click the drop down list button and click to select Tools.
3. In the Workbench view, click the Add Items button to open the Search Dialog – Tool window.
4. In the Search dialog – Tool window, click to select (Ctrl + a) all four tools (Wrench, Screw Driver, Plier, and Hex Key), and click the Return Selected button.

Notice, the four tools are added to the Workbench.

5. Again, Click the Workbench drop down list button, select Skills and add the two technicians.

Note:

Recall that the Workbench is non-persistent and items added to the workbench are not saved.



Try it ... Add items to the Process Plan from the Workbench

In this exercise, you add a tool and a skill from the Workbench to the process plan.

Note:

As you drag and drop Workbench items into the (left pane) Hierarchical Tree, the system displays “Insert Item into...” text for each Operation as you move up the Hierarchical Tree.

1. In the Workbench, ensure that Skills is still selected in the drop down list from the previous exercise.
2. From the Workbench, click, hold, and drag the 2417 Technician 1 skill from the Workbench up to Operation 10 in the Process Plan’s Hierarchical Tree until you see “Insert Item into...”.

Notice the 2417 Technician 1 skill is added to the Operation 10 in the Process Plan’s Hierarchical tree. Also notice that Skills are not added to the Work Instruction.

3. Click the Save icon.
4. Again, set the Workbench drop down list to Tools.
5. Drag and Drop the Wrench tool, on to Operation 10.

Notice the 1731 Wrench tool is added to the Operation 10 in the Process Plan’s Hierarchical tree. Also notice that the tool is also added to the Work Instruction.

6. Save, Unlock, and Close the PP5423 process plan.

That concludes the exercises for this course. After saving your work, you can close all open tabs.



Summary

In this unit, you learned about Manufacturing Process Planning including Process Plans, Work Instructions, the Workbench, and concurrent updates to the EBOM and the MBOM.

You should now be able to:

- ✓ Understand Process Planning
- ✓ Understand the MBOM
- ✓ Understand Work Instructions
- ✓ Describe the Process Plan
- ✓ Describe the Process Plan View
- ✓ Describe the EBOM View
- ✓ Describe the MBOM View
- ✓ Describe the Workbench
- ✓ Add items to a process plan
- ✓ Create a phantom assembly
- ✓ Create a sub-process plan
- ✓ Create a location specific sub-process plan
- ✓ Modify an MBOM
- ✓ Add items to the Workbench
- ✓ Use items from the Workbench
- ✓ Add items to the Work Instruction



On Your Own Challenge

In this exercise, you create a new Process Plan.

Think of a simple process at your company and create a new process plan using the following criteria.

1. Create a new Process Plan and give it a Process Plan Number with your initials included.
2. Give it a relevant name and enter an appropriate description.
3. Add a Produced Part (could be any part for this exercise.)
4. Create two new locations for this Process Plan.
5. Save the Process plan and open the Process Plan view.
6. Add at least three operations and add at least two steps to each operation.
7. Please note the current location and insert a Phantom Part (Assembly).
8. Create a Sub-Process Plan for the Phantom Part (Assembly).
9. Save, Unlock, and Close the Sub-Process Plan.
10. Switch locations and verify the Sub-Process Plan is only at the one location.
11. For the first Operation, insert a Graphic into the Work Instruction.
12. For the second Operation, insert additional text into the Work Instruction.
13. For the third operation, insert a 2 row x 2 column table into the Work Instruction.
14. Add at least one skill and one tool to one Operation.
15. Add any other additional elements to either the Process plan or the Work Instruction.
16. Save the Process plan and show the instructor.